


“Full width
lightweight ramps”

*aerolight*TM

Aerolight is our flagship range. The proof of years of manufacturing expertise, these ramps are the quality you would expect from Enable Access. From initial concept, the product has been relentlessly refined and yet retains an exceptional strength to weight ratio.



Anodised aluminium kerbs and lip prevent stains and corrosion.




Full width anti-slip surface.



Unique lip design gives incredible grip at each end and allows the ramp to be used either way round.



New, extra comfortable ergonomic fold away handles.



Aerospace technology ensures incredible strength yet lightweight ramps.



Designed &
Manufactured
in the UK.

aerolight-classic™




“Excellent value with great features”

The Aerolight-Classical non-folding ramp is an extremely cost-effective option. It is available in shorter lengths where the convenience of a folding product may not be required.

Your benefits:

- ▶ a great portable solution for thresholds, kerbs and steps
- ▶ well suited to public access
- ▶ simple to deploy



aerolight - full width lightweight ramps

Key Product Information

For help selecting length see Ramp Guide P4&5



Code	Length	Width*	Capacity kg (lbs)	Weight kg (lbs)
AC6	60cm (2ft)	76cm (30ins)	350 (772)	4 (9)
AC9	90cm (3ft)	76cm (30ins)	350 (772)	6 (13)
AC12	120cm (4ft)	76cm (30ins)	350 (772)	8 (18)
AC15	150cm (5ft)	76cm (30ins)	350 (772)	10 (22)

*Width excludes handles



Call **020 8275 0375** to order or for technical support



*aerolight-xtra*TM

“A proven and popular workhorse”

The foundation of the range, this masterpiece has proved itself again and again. Since its introduction in 2003, the original style of Aerolight ramp has seen many improvements and continues to be the best seller.

Your benefits:

- ▶ contrasting colour edge strip increases visibility
- ▶ many uses in public and domestic building access
- ▶ folds for compact storage
- ▶ quick and easy deployment
- ▶ clips together when folded



AX12





Aerolight-Xtra Ramps with Joining Support
(see page 29)




AX9

Up to 240cm
8ft Long



Full length hinge for additional strength.



Folds inwards making it very easy to deploy and preventing grip surface damaging clothes when carrying.

Storage Options:

Upright Storage Bracket Kit

Code: ASBV



Compact vertical storage comes with locking top section for extra security. (max 180cm ramp)

Horizontal Storage Bracket Kit

Code: ASB



Easy ergonomic storage with padlock security.

Key Product Information



For help selecting length see Ramp Guide P4&5



Code	Length	Width*	Capacity kg (lbs)	Weight kg (lbs)	Stored Dimensions l x w x d cm (inches)
AX6	60cm (2ft)	76cm (30ins)	350 (772)	5 (11)	60 x 39 x 8 (24 x 15 x 3)
AX9	90cm (3ft)	76cm (30ins)	350 (772)	7 (15)	90 x 39 x 8 (35 x 15 x 3)
AX12	120cm (4ft)	76cm (30ins)	350 (772)	9 (20)	120 x 39 x 8 (47 x 15 x 3)
AX15	150cm (5ft)	76cm (30ins)	350 (772)	11 (24)	150 x 39 x 8 (59 x 15 x 3)
AX18	180cm (6ft)	76cm (30ins)	350 (772)	13 (29)	180 x 39 x 8 (71 x 15 x 3)
AX21	210cm (7ft)	76cm (30ins)	300 (661)	15 (33)	210 x 39 x 8 (83 x 15 x 3)
AX24	240cm (8ft)	76cm (30ins)	250 (551)	17 (37)	240 x 39 x 8 (98 x 15 x 3)

*Width excludes handles

aerolight-lifestyle™




“Easy use vehicle & building access ramp”


The Aerolight-Lifestyle is established as one of the most innovative full width ramps available. This unique ramp's two halves make it very light to carry and easy to store.

Your benefits:

- ▶ extremely simple to use
- ▶ great for 'out and about' access
- ▶ use with all types of scooters and wheelchairs
- ▶ easy vehicle loading



Up to 240cm
8ft Long




Underside of ramp

Ramps lock together when in position.




Robust safety hinges with pinch protection.

1



2



Extremely safe and easy to deploy.

Key Product Information



For help selecting length see Ramp Guide P4&5




AL18

Code	Length	Width	Capacity kg (lbs)	Weight kg (lbs) each half	Stored Dimensions l x w x d cm (inches)
AL18	180cm (6ft)	74cm (29ins)	350 (772)	8 (18)	95 x 37 x 25 (37 x 15 x 10)
AL21	210cm (7ft)	74cm (29ins)	300 (661)	9 (20)	110 x 37 x 25 (43 x 15 x 10)
AL24	240cm (8ft)	74cm (29ins)	250 (551)	10 (22)	125 x 37 x 25 (49 x 15 x 10)

aerolight-broadfold™


“A user-friendly and cost-effective ramp”

Aerolight-Broadfold is the most recent addition to this range. A simple and cost-effective scooter ramp with many uses.



Your benefits:

- ▶ folds to half length for compact storage
- ▶ very simple to deploy
- ▶ easy vehicle loading



Robust safety hinges with pinch protection.



Key Product Information



For help selecting length see Ramp Guide P4&5

Code	Length	Width*	Capacity kg (lbs)	Weight kg (lbs)	Stored Dimensions l x w x d cm (inches)
AB12	120cm (4ft)	76cm (30ins)	350 (772)	10 (22)	65 x 19 x 76 (26 x 7 x 30)
AB15	150cm (5ft)	76cm (30ins)	350 (772)	12 (26)	80 x 19 x 76 (31 x 7 x 30)
AB18	180cm (6ft)	76cm (30ins)	350 (772)	14 (31)	95 x 19 x 76 (37 x 7 x 30)

*Width excludes handles




aerolight-accessories

Wheelchair access sign Code: AWS	Wall strap kit	Warning cone Code: AWC	Ramp locating peg Code: ARLS
			
<p>Proclaim your compliance with this self adhesive window sign.</p>	<p>Quick-fit strap holds ramp against wall vertically for tidy storage. Aerolight-Xtra wall strap code: AWX Aerolight-Classic wall strap code: AWA</p>	<p>High visibility cone, alerts pedestrians to access ramps.</p>	<p>Can be fitted to all Aerolight ramps to securely locate on upper step/vehicle etc.</p> <p>Kit includes; 2 studs, drill bit and fixings.</p>

Roll out trackway

Covers grass, gravel and other uneven surfaces for easy wheelchair and pedestrian access. Saves expensive construction work and can easily be cleaned, rolled up and stored. Can be trimmed to length or to fit round steps, flowerbeds, downpipes etc.



Code	Length cm (ins)	Width cm (ins)	Weight kg (lb)
RT25	250cm (8' 2")	90cm (2' 11")	20 (44)
RT50	500cm (16' 4")	90cm (2' 11")	40 (88)