

# Through-floor Lift

A modern and unobtrusive solution providing access over 2 floors




Designed using state-of-the-art lift technology, the Through-floor Lift maximises the space available to you; when you are downstairs, the lift can be moved quietly and discreetly back upstairs, leaving you the full use of your living space.

Choose from the following models:

**Wheelchair**

**Seated**


**Side-hung**



1. From the ground floor the lift moves smoothly upstairs



2. Exit the lift at first floor level



3. Return lift to ground floor for full use of floor space

**standard features**

- > Internal use only
- > Dual level travel
- > Hydraulic or Pollock Lifts unique Traction Drive system depending on requirements
- > Smallest footprint with largest internal car size on the market
- > Self levelling mechanism for uneven floors
- > Strong lightweight aluminum frame
- > New type trapdoor arrangement
- > On board diagnostic display
- > Remote monitoring system

**safety features**

- > Sensitive edges
- > Emergency alarm and fire response system
- > BS5900 Certification and CE compliant

**optional features**

- > Choose from a range of seats: perching, sliding and tip-up
- > Optional colours available
- > Power operated door
- > In-car telephone connected to telephone line
- > Optional remote control
- > Alternative cab sizes
- > Customised cab sizes to suit your needs

	SEATED	WHEELCHAIR	SIDE-HUNG
Capacity	178kg	T: 178kg H: 230kg	158kg
(T: traction, H: hydraulic)			
Internal width x length	555 x 760	750 x 1100	750 x 1100
External footprint	705 x 1025	900 x 1365	820 x 1280
Length - door open	1525	2135	2060
Additional cab widths	800 and 850 (internal dimensions)		
Additional cab lengths	1175 and 1250 (internal dimensions)		
<b>TECHNICAL DETAILS</b>			
Travel distance	3.2m with Hydraulic / 4.2m with Traction		
First floor height	2250 minimum required		

All measurements are in millimetres (mm)

**For further information contact Pollock Lifts:**

22 Woodburn Road, Carrickfergus, Co. Antrim BT38 8PX

Tel: +44 (0) 28 9336 8167

Email: info@pollocklifts.co.uk

**www.pollocklifts.co.uk**



# Independence Steplift

An elegant access solution,  
raising the user up to one metre



The aluminium and stainless steel construction of the Independence Steplift provides both strength and modern aesthetics, and is easily the most attractive on the market.

Choose from the following models:

**740 Standard\***

**800 mm\***

**1100 mm\***

Optional configurations:

**Adjacent entry**

**Bridging Steps**

(Choose from 1, 2 or 3 steps)

**Pit Mounted** (no ramp)

\*Indicates clear access width



The Adjacent Entry configuration



The Bridging Steps configuration



The 740 Standard model

### standard features

- > Travel up to 1m
- > Maximum capacity of 250 kg
- > Suitable for internal or external use
- > Weatherproof surround
- > Battery operated hydraulic power with mains back-up
- > Key operated call stations
- > Easy installation
- > Low maintenance
- > Can be relocated
- > Pump box can be located up to 6m from lift

### safety features

- > Full platform safety edge as standard
- > Auto reverse safety system on ramp
- > Locking system to secure ramp in UP position
- > Designed to BS 6440 and CE approved

### optional features

- > Interlocking gate
- > Automatic gate open and close
- > Choose from alternative RAL colours
- > Vandal guards on call stations
- > Customised control options
- > On request the Steplift can be customised to suit specific requirements

	740 Standard	800 mm	1100mm
Platform Height	1150	1150	1150
Platform Width	975	1065	1355
Platform Length	1400	1400	1400
Length - ramp raised	1500	1500	1500
Length - ramp open	1835	1835	1835
Overall footprint	975 x 1900	1065 x 1900	1355 x 1900
Useable platform area	740 x 1400	800 x 1400	1100 x 1400
<b>ADJACENT ENTRY</b>			
Overall footprint	1050 x 1900	1110 x 1900	1440 x 1900
Useable platform area	800 x 1400	860 x 1400	1100 x 1400

All measurements are in millimetres (mm)

### For further information contact Pollock Lifts:

22 Woodburn Road, Carrickfergus, Co. Antrim BT38 8PX

Tel: +44 (0) 28 9336 8167

Email: [info@pollocklifts.co.uk](mailto:info@pollocklifts.co.uk)

[www.pollocklifts.co.uk](http://www.pollocklifts.co.uk)